

Mr Mark S. Falworth MBBS FRCS(Eng) FRCS (Orth)
Consultant Orthopaedic Surgeon
Shoulder and Elbow Surgery

Spire Bushey Hospital
Heathbourne Road
Bushey
Watford
Herts, WD23 1RD

Royal National Orthopaedic Hospital
Brockley Hill
Stanmore
Middlesex
HA7 4LP

The Stanmore Clinic
HCA Elstree Waterfront
The Waterfront
Beaufort House, Elstree Rd.
Herts, WD6 3BS

Appointments & Queries:
Practice Manager: Lynn Etherton
Telephone: 020 7042 1807
Fax: 020 7042 1808
Email: lynn.ertherton@phf.uk.com

All correspondence to Spire Bushey Hospital

Physiotherapy protocol: Golfers Elbow Release / Reconstruction

Week 1 -2

- Remain in sling for 48 hrs.
- Active shoulder ROM exercise Day 1.
- Day 3; Active assisted exercises for elbow flexion and extension (Return to sling after exercises)
- Day 10; Active assisted wrist extension & flexion, radial & ulnar deviation and forearm pronation & supination without resistance (Return to sling after exercises)

Week 3

- Day 14; Remove sling.
- Start active exercises re-establishing full flexion and extension of elbow. No lifting.
- Shoulder exercises to maintain range
- Day 21; Start gentle light wrist resistance exercises at 3 weeks. (1-2 lb weights +/- water resistance).
- Use tennis elbow (counterforce) splint during resistance exercises.

Week 4

- Between Week 4 - 6 continue with light exercises and light duties only.

Week 6

- Gradual return to activities of daily living but avoid heavy lifting.
- Gentle massage along and against fiber orientation
- Eccentric exercises and stretches
- Progressing to deep transverse friction

Week 12 -16

- Gradual return to lifting and sport.
- Tennis at 12 - 14 weeks.

Active assisted exercises – use your good arm to move your “surgical” arm

Active exercises - use the muscles of the “surgical” arm

Comments: